

CATALOGUE

MAGNETOTERAPIE DIMAP s.r.o.
Hufská 273, 272 01 Kladno
Czech republic
EU

FAMILY MAGNETOTHERAPY



TRANSPORT
GUARANTEE

| DPD, PPL, TNT, Czech post, Gebrüder Weiss, FedEx
| 24 MONTHS

ORDERS



+ 420 775 485 253



info@dimap.cz



DIMAP Bioconfort

Two outputs portable device

Programs A, B, C, 0-13

Frequency, intensity choice (1-10)

Preset time to 25 minutes

Digital display

LED indication

Acoustic and optical signaling

Overload, short circuit protection system



DIMAP Technimag

Two outputs portable device

Programs A, B, C, 0-13

Frequency, time, intensity choice

Intensita 1-10

Digital display

LED indication

Acoustic and optical signaling

Overload, short circuit protection system

Simple control with 4 buttons - program, time, intensity, start

ADAPTING TO YOUR NEEDS

- **Bioconfort:** 17 programs, frequency up to 200Hz, time 25 min, setting of the magnetic field intensity for each output (applicator) separately, connectors 6.3mm especially resistant to damage, suitable for treatment of up to two people at the same time
- **Technimag:** 17 programs, frequency up to 200Hz, extended control interface: choice of time 5-90min, setting of the magnetic field intensity for both outputs at the same time, easy control and manipulation, suitable for one user

A1HF

Designed for the local application of pulse magnetic fields around the hand, wrist, elbow, heel, or C-spine

Dimensions: 23x23cm and hight 3,5cm



A4HLg

Designed for the local application of pulse magnetic fields around the spine, back

Dimensions: 48x48cm and 3.5cm high



SPHLg

Designed for the local application of pulse magnetic fields around the limb, C-spine, joint

Dimensions: diameter 24cm and width 8cm



A2HLg 250 DUO

Designed for the application of pulse magnetic fields around the spine, back, limb etc

Dimensions: 2x (DUO) 25cm width, 48 length, 3,5cm high





A3HLg MAX DUO

A3HLg MAX Duo is applicator for demanding clients.

Applicator is designed for the local application of pulse magnetic fields around the spine, back. The application is performed in lying.

Dimensions: 45 cm width, 170 length, 3.5cm high

FAMILY SETS



SET Technimag BACK

Set include:

device DIMAP TECHNIMAG

applicator A1HF - hand, wrist, elbow, heel, or C-spine etc.

applicator A4HLg (on back) - the back and spine

leatherette bag

SET DEVICE Technimag BACK

SET DEVICE Bioconfort BACK



SET Technimag SOLENOID

Set include:

device DIMAP TECHNIMAG

applicator A1HF - hand, wrist, elbow, heel, or C-spine etc.

applicator SPHLg (solenoid diameter 24cm) – on legs and hands

leatherette bag

SET DEVICE Technimag SOLENOID

SET DEVICE Bioconfort SOLENOID



SET Technimag DUO

Set include:

device DIMAP TECHNIMAG

applicator SPHLg (solenoid diameter 24cm) – on legs and hands

applicator A4HLg (on back) - the back and spine

leatherette bag

SET DEVICE Technimag DUO

SET DEVICE Bioconfort DUO

SET Technimag TRIO

Set include:

device DIMAP TECHNIMAG
applicator A1HF - hand, wrist, elbow, heel, or C-spine etc.
applicator SPHLg (solenoid diameter 24cm) – on legs and hands
applicator A4HLg (on back) - the back and spine
leatherette bag

SET DEVICE Technimag TRIO

SET DEVICE Bioconfort TRIO



SET Technimag 4 DORSAL

Set include:

device DIMAP TECHNIMAG
applicator A2HLg250 DUO (DUO = two applicators) – (universal applicator, for back, spine, hips, limbs, etc.)
2 fixing parts with strap
leatherette bag

SET DEVICE Technimag 4 DORSAL

SET DEVICE Bioconfort 4 DORSAL



SET Technimag BED

Set include:

device DIMAP TECHNIMAG
applicator A3HLg MaxDuo (45 cm width, 170 length) - (for the local application of pulse magnetic fields around the spine, back.)
leatherette bag

SET DEVICE Technimag BED

SET DEVICE Bioconfort BED

